

Date: Monday, 7/9/2007 11:43:22 AM
 User: Kim Johnston

Process Sheet

31

Customer : CU-DAR001 Dart Helicopters Services Drawing Name : OH-58 SKIDTUBE
 Job Number : 33337
 Estimate Number : 11650
 P.O. Number : N/A Part Number : D058672012
 This Issue : 7/9/2007 S.O. No. : N/A Drawing Number : IIN D058-672 REV C
 Prsht Rev. : NC Project Number : N/A
 First Issue : N/A Type : LANDING GEAR Drawing Revision : C
 Previous Run : 31292 Material : N/A
 Due Date : 7/30/2007 Qty: 1 Um: Each
 Written By :
 Checked & Approved By : 7/10/07.07.09
 Comment : Est Rev:G 02.06.27 Re-format; CHG002 (MPP 2251); ECN 258K
 J
 Est Rev:H 07-03-08 As per IIN D058-672 Rev C jlm

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 DC DOCUMENT CONTROL



KS 07.07.20

Comment: DOCUMENT CONTROL

Photo Copy Blue files and Type Labels as per PPP D058-672-012 CHG003

7/10/07

2.0 33337A OH-58 SKIDTUBE ASSEMBLY



Comment: Sub-Component 1 D058-672-041 OH-58 SKIDTUBE ASSEMBLY

B 33337A

3.0 PACKAGING 1 PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Pick Packing Kit

4.0 D29332 206 Saddle Right



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick: Packing Kit

Qty Part Number

Description

Batch

2 D2933-2

Saddle

33472

33354

50

5.0 D29322 206 Saddle Right side



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick: Packing Kit

Qty Part Number

Description

Batch

2 D2932-2

Saddle

33352

7/9/07

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 7/9/2007 11:43:22 AM.
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: OH-58 SKIDTUBE

Job Number: 33337

Part Number: D058672012

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

D2934

Saddle Spacer



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick: Packing Kit

Qty Part Number

Description

Batch

2 D2934

Saddle Spacer

133235

SP

7.0

D2935

Saddle Spacer



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick: Packing Kit

Qty Part Number

Description

Batch

2 D2935

Saddle Spacer

1334003

SP

8.0

AN341A

Bolt



Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)

Pick: Packing Kit

Qty Part Number

Description

Batch

8 AN3-41A

Bolt

1104625

SP

9.0

D2652

Bushing



Comment: Qty.: 16.0000 Each(s)/Unit Total : 16.0000 Each(s)

Pick: Packing Kit

Qty Part Number

Description

Batch =

16 D2652

Bushing

1534593

SP

10.0

AN960JD10

Washer



Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)

Pick: Packing Kit

Qty Part Number

Description

Batch

8 AN960JD10

Washer

1104885

SP

11.0

MS21042L3

Nut



Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)

Pick: Packing Kit

Qty Part Number

Description

Batch

8 MS21042L3

Nut (or -3)

1104936

7/9/17 SP

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 7/9/2007 11:43:22 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: OH-58 SKIDTUBE

Job Number: 33337

Part Number: D058672012

Job Number:



Seq. #:

Machine Or Operation:

Description :

12.0

AN510A

Bolt



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Pick: Packing Kit

Qty Part Number Description Batch

4 AN5-10A Bolt M105144

SP

13.0

AN512A

Bolt



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Pick: Packing Kit

Qty Part Number Description Batch

4 AN5-12A Bolt M104154

SP

14.0

AN960JD516

Washer



Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)

Pick: Packing Kit

Qty Part Number Description Batch

8 AN960JD516 Washer M104156

SP

15.0

AN46A

Bolt



Comment: Qty.: 12.0000 Each(s)/Unit Total : 12.0000 Each(s)

Pick: Packing Kit

Qty Part Number Description Batch

12 AN4-6A Bolt M105057

SP

16.0

AN960JD416

Washer



Comment: Qty.: 24.0000 Each(s)/Unit Total : 24.0000 Each(s)

Pick: Packing Kit

Qty Part Number Description Batch

24 AN960JD416 Washer M104746

SP

17.0

MS21042L4

Nut



Comment: Qty.: 12.0000 Each(s)/Unit Total : 12.0000 Each(s)

Pick: Packing Kit

Qty Part Number Description Batch

7/9/17 SP

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 7/9/2007 11:43:22 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: OH-58 SKIDTUBE

Job Number: 33337

Part Number: D058672012

Job Number:



Seq. #:

Machine Or Operation:

Description :

12 MS21042L4 Nut (or -4)

18.0

D2712

Set Screw



Comment: Qty.: 10.0000 Each(s)/Unit Total : 10.0000 Each(s)

Pick: Packing Kit

Qty Part Number

Description

Batch

10 D2712

Set Screw

B333667

SP

19.0

D2968043

Tow Ring



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick: Packing Kit

Qty Part Number

Description

Batch

1 D2968-043

Tow Ring

30275

SP

20.0

AN960JD1016

Washer



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Washer

Batch:

M5519

SP

21.0

AN9704

Washer



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick: Packing Kit

Qty Part Number

Description

Batch

1 AN970-4

Washer

M104885

SP

22.0

MS210424

USE MS21042L4



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

USE MS21042L4

Batch:

M104248

SP

23.0

D058672043

GROUND HANDLING KIT



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

GROUND HANDLING KIT

BATCH:

B331130

7/9/13 SP

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☐ No ☒ DQA: ☒ Date: 07/09/19
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 7/9/2007 11:43:22 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: OH-58 SKIDTUBE

Job Number: 33337

Part Number: D058672012

Job Number:



Seq. #:

Machine Or Operation:

Description :

24.0

QC4

INSPECT 100% KITS FOR COMPLETENESS



Comment: INSPECT 100% KITS FOR COMPLETENESS

En 7/10/17

25.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and pack for shipping as per PPP D058-672-012

Location: B

PPP Rev: B

207/17 (1)

26.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

(1)
7/10/17

Job Completion



B33337A

6 7/10/18

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 7/9/2007 11:43:38 AM
User: Kim Johnston

Process Sheet

31

Customer : CU-DAR001 Dart Helicopters Services Drawing Name : 0H-58 SKIDTUBE ASSEMBLY
Job Number : 33337A
Estimate Number : 10475
P.O. Number : N/A Part Number : D058672041
This Issue : 7/9/2007 S.O. No. : N/A Drawing Number : D2922 REV A1
Prsht Rev. : NC Project Number : N/A
First Issue : N/A Type : LANDING GEAR Drawing Revision : A1
Previous Run : 33336A Material : N/A
Due Date : 7/30/2007 Qty: 1 Um: Each
Written By :
Checked & Approved By : 07.07.09
Comment : Est Rev: C 02.06.28 Re-format; ECN 258 KJ
Est Rev: D 06.02.06 Added Dt8025 EC

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description:

1.0 DC DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Photocopy bluefile & type labels per PPP D058-672-041

CHG 001

N/A 07.07.09

2.0 D2620 Bent 206 Skidtube



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Pick:

Qty Part Number Description Batch

1 D2620 Bent Tube 3" OD B333879

DP 7-8-15

3.0 LANDING GEAR 1 LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Deburr Fwd edge of tube

DP 7-8-15

2-Weld D2794 cap as per QSI 004 and Dwg D2922. Use aluminum rod.

A/R Aluminum Rod

M 104221 / M 105050

BE 07-08-17

3-Cut aft end of D2620 bent tube as per dwg D2922

4-Drill pilot holes using drill jig DT8480 and DT8025 open to 0.312" dia.

5-Drill holes for wearplates using DT 8487 Open to 0.297" dia.

6-Drill holes for aft cap as per Dwg D2922 using drill jig DT 8025. Open using #6 Drill Bit

8-Remove inner indexing ridge on aft end of skidtube as per Dwg D2922

DP 7-8-20

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
	5							

NOTE: Date & initial all entries

Date: Monday, 7/9/2007 11:43:38 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 0H-58 SKIDTUBE ASSEMBLY

Job Number: 33337A

Part Number: D058672041

Job Number:



Seq. #:

Machine Or Operation:

Description :

9-Deburr and Blow out all chips form inside the tube

DP 7-8-20

4.0 QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

En 07/08/20

5.0

QC9

VISUAL WELDING INSPECTION



Comment: VISUAL WELDING INSPECTION

07/08/20

6.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

Pm 07-08-20 (1)

7.0

D2923

Web



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch

1 D2923 Web

B31565 Pm 07-08-21 (1)

8.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Open holes to finished size as per Dwg D2922(without cutting fluid)

2-Countersink crossbolt spacer holes as per Dwg D2922(without cutting fluid)

3-Deburr and Blow out all chips from inside the tube

4-Bond D2923 web in place as per QSI 015. Ensure holes lineup

A/R Sikaflex-291

Sikaflex expire date: 08-01-01

m104989

Pm 07-08-21 (1)

Pm 07-08-20 (1)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 7/9/2007 11:43:38 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 0H-58 SKIDTUBE ASSEMBLY

Job Number: 33337A

Part Number: D058672041

Job Number:



Seq. #:

Machine Or Operation:

Description :

9.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

En 07/08/02

10.0

D2794

Cap



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Qty

Part Number

Description

Batch

1 D2794

Fwd Cap

B14588 BE 07-08-17

11.0

D2649

Crossbolt Spacer



Comment: Qty.: 22.0000 Each(s)/Unit Total: 22.0000 Each(s)

Pick:

Qty Part Number

Description

Batch

22 D2649

Crossbolt spacer

R33214 BE 07-08-23

12.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Weld D2649 cross bolt spacers as per QSI 004 and Dwg D2922. (Remember to back drill each hole to 0.250" before welding the other side)

A/R Aluminum Rod

M104221 BE 07-08-23

3-Grind welds flush as per Dwg D2922

R 7-8-31

4-Counterbore 5/16" x 0.750" deep as per Dwg D2922

13.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

En 07/09/04

14.0

QC9

VISUAL WELDING INSPECTION



Comment: VISUAL WELDING INSPECTION

M07/09/05

15.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

HS

07-09-13

①

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 7/9/2007 11:43:38 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 0H-58 SKIDTUBE ASSEMBLY

Job Number: 33337A

Part Number: D058672041

Job Number:



Seq. #:

Machine Or Operation:

Description :

16.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



ml 07 09 16



(7)

Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

17.0

D26483

Wearpad



Comment: Qty.: 5.0000 Each(s)/Unit Total : 5.0000 Each(s)

Pick:

Qty Part Number Description Batch
5 D2648-3 Wearpad B32465

ml 07 09 16

18.0

D265615

Wearplate



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch
1 D2656-15 Wearshoe B34170

ml 07 09 16

19.0

D265621

Wearplate



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch
1 D2656-21 Wearshoe B33089

ml 07 09 16

20.0

D2924

Wearshoe



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch
1 D2924 Wearshoe B27927

ml 07 09 16

21.0

MS27039108

Screw



Comment: Qty.: 50.0000 Each(s)/Unit Total : 50.0000 Each(s)

Pick:

Qty Part Number Description Batch
50 MS27039-1-08 Screw 105433

ml 07 09 16

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 7/9/2007 11:43:39 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 0H-58 SKIDTUBE ASSEMBLY

Job Number: 33337A

Part Number: D058672041

Job Number:



Seq. #:

Machine Or Operation:

Description :

22.0

AN960JD10L

Washer



Comment: Qty.: 50.0000 Each(s)/Unit Total : 50.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
50	AN960JD10L	Washer	104885

ml 07 09 16

23.0

ALS41032130

Insert



Comment: Qty.: 50.0000 Each(s)/Unit Total : 50.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
50	ALS4-1032-130	Insert	102475

or (see QSI 017)

ml 07 09 16

24.0

D26511

Plug



Comment: Qty.: 20.0000 Each(s)/Unit Total : 20.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
20	D2651-1	Plugs	33349

ml 07 09 16

25.0

D26513

O-Ring



Comment: Qty.: 20.0000 Each(s)/Unit Total : 20.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
20	D2651-3	O-Rings	34186

ml 07 09 16

26.0

D2646

Aft Cap



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
1	D2646	Aft Cap	33289

ml 07 09 16

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 7/9/2007 11:43:39 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 0H-58 SKIDTUBE ASSEMBLY

Job Number: 33337A

Part Number: D058672041

Job Number:



Seq. #:

Machine Or Operation:

Description :

27.0

MS27039108

Screw



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part Number Description Batch

2 MS27039-1-08 Screw

105433

ml 07 09 16

28.0

AN960JD10L

Washer



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part Number Description Batch

2 AN960JD10L Washer

104885

ml 07 09 16

29.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

1-Install inserts & wearpads as per dwg D2922. Insert a drop of Sikaflex at insert hole before installing wearplates.

A/R Sikaflex-291

Sikaflex expire date: 08-01

M105469

2-Install O-Rings D2651-3 on plugs D2651-1 with Petroleum Jelly and install plugs as per Dwg D2922

3-Install D2646 Aft Cap and seal with Sikaflex adhesive. Clean excess adhesive

A/R Sikaflex-291

Sikaflex expire date: 08-01

M105469

3- Wing Walk as per Dwg D2922 and QSI 005 4.4

M105386

ml 07 09 16

Batch:

ml 07 09 16

30.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

ml 07 09 17

31.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

ml 07 09 17

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: 2 Date: 01/05/19
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 7/9/2007 11:43:39 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 0H-58 SKIDTUBE ASSEMBLY

Job Number: 33337A

Part Number: D058672041

Job Number:



Seq. #:

Machine Or Operation:

Description :

32.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

RRP 33337 7/9/07

33.0

QC21

FINAL INSPECTION/W/O RELEASE



①

Comment: FINAL INSPECTION/W/O RELEASE

7/9/07/19

Job Completion



W 07-09-18

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN RF	DRAWN BY RF	DART AEROSPACE USA, INC. BELLEVUE, WA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D2922	REV. A SHEET 1 OF 2
DATE 99.10.14		TITLE OH-58 SKIDTUBE ASSEMBLY	SCALE NTS
A	99.10.14	NEW ISSUE	
A1	CP 01.08.20	Ø0.640 WAS Ø0.625	




RELEASED
00.05.11 [Signature]

Qty	Part Number	Description
X	D2922-041	SKIDTUBE ASSEMBLY
*	D2600-1	EXTRUSION
1	D2646	AFT CAP.
4	D2648-3	WEARPAD
1	D2648-5	WEARPAD
22	D2649	CROSS BOLT SPACER
20	D2651-1	PLUG
20	D2651-3	O-RING
1	D2656-15	WEARSHOE
1	D2656-21	WEARSHOE
1	D2794	CAP
1	D2923	WEB
1	D2924	WEARSHOE
50	AKS7-1032-130 or AKS4-1032-130 or ALS7-1032-130 or ALS4-1032-130	INSERT
52	AN960JD10L	WASHER
52	MS27039-1-08	SCREW


GENERAL NOTES:

- 1) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 2) LENGTH OF D2600-1 EXTRUSION REQUIRED BEFORE BENDING = 160 INCHES.*
- 3) INSERT D2923 WEB TO LOCATION SHOWN OFF AFT END OF SKIDTUBE AND BOND WEB INTO OUTER TUBE WITH NON-STRUCTURAL SIKAFLEX-241/291 ADHESIVE PER DART QSI 015 AFTER BENDING.
- 4) USE DART DRILL TEMPLATE DT8406 TO LOCATE AND DRILL Ø0.297 HOLES FOR WEARSHOE INSERTS. INSTALL AKS7-1032-130 PER SECTION D-D (50 PLACES) AFTER FINISH. INSTALL MS27039-1-08 SCREWS AND AN960JD10L WASHERS IN ALL INSERTS. SEAL WITH SIKAFLEX-241/291.
- 5) WELDING TO BE DONE PER DART QSI 004.
- 6) FINISH:
ACID ETCH, ALODINE PER DART QSI 005 4.1 PRIOR TO INSERTING D2923 WEB
POWDER COAT ASSEMBLY GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT AS INDICATED TO 0.50 ABOVE LOCATION RIDGE PER DART QSI 005 4.4
- 7) INSERT D2651-1 PLUG C/W D2651-3 O-RING IN HOLES MARKED 'P' (BOTH SIDES OF TUBE) AFTER FINISH (20 PLACES).

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 33337A



SECTION D-D
SCALE 1:4
FOR 0.375 HOLES ONLY






AFTER BENDING AND DRILLING ASSEMBLY
PERFORM THE FOLLOWING FOR 0.375 HOLES ONLY:

1. CHAMFER HOLE 0.030 X 45°
2. INSERT D2649 SPACER (22 PLACES)
3. WELD INTO PLACE AND GRIND FLUSH
4. C'BORE D2649 SPACER TO 0.313 X 0.75 DEEP

MS27039-1-08 (REF)
AN960JD10L (REF)
(50 PLACES)

RELEASED
00.05.11



MS27039-1-08 SCREW (1)
AN960JD10L WASHER (1)
(50 PLACES)

DESIGN RF	DRAWN BY RF	DART DART AEROSPACE USA, INC. BELLINGHAM, WA	REV. A
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D2922	SHEET 2 OF 2
DATE 99.10.14	TITLE OH-58 SKIDTUBE ASSEMBLY	SCALE 1:20	

NO. 125

AWS D17.1.2001
QUALIFICATION TEST RECORD

Name Barclay E.

Joint Welding Procedure Tig

Part number and Job number

~~005~~ 0058672041/83337 A
Also good for A206 Same / cross bolt spacer

TEST WELDS REQUIRED

BASE METAL

Alum

WELDING PROCESS

Tig

Penetration Complete ☐ Partial ☒

Single Weld ☒ Double Weld ☐

Current AC ☒ DC ☐

Backing YES ☐ NO ☒

Position

Vertical Down ☐ Up ☐

Sheet Groove

1G ☐

2G ☐

3G ☐

4G ☐

Tube Groove

1G ☐

2G ☐

5G ☐

6G ☐

Sheet Fillet

1F ☐

2F ☐

3F ☐

4F ☐

Tube Fillet

1F ☐

2F ☐

4F ☐

5F ☐

Crossbolt Spacer Welded into

Skidtube

TEST RESULTS

Visual

Pass ☒ Fail ☐

Penetration

Pass ☒ Fail ☐

Crossbolt Spacer

Pass ☒ Fail ☐

The above named individual is qualified in accordance with AWS D17.1.2001 to weld

Date of Test Coupon

07/09/05

Qualifier

David Sewal